

## Smart Video Conferencing Endpoint VC200, ideal for Small and Huddle Room

VC200 is an entry-level smart video conferencing endpoint launched by Yealink. With Ultra HD 4K camera, 103° super-wide angle lens and 6 beamforming microphone arrays for direct voice pickup and noise proof, VC200 brings ultimate audio & video experience. 6-in-1 design which integrates codec/camera/microphone/bracket/Wi-Fi/Bluetooth, wireless presentation supported, and two-cable-deployment, Yealink VC200 integrates everything you need for small and huddle rooms.




## Ultra HD 4K Camera and Super-wide Angle Lens

- The Ultra HD 4K camera supports 4x digital zoom and e-PTZ, with super-wide 103° horizontal field of view, covering every seat at the table.
- 1080P full HD video conferencing and H.265/HEVC codecs, resisting up to 30% video loss.



Ultra HD 4K  
Camera



## Clearer Voice with 6 Beamforming Microphone Arrays

- With the most advanced Beamforming technology, VC200's 6 built-in microphone arrays support directed voice pickup, ensuring a clearer voice by automatically identifying and comparing voice.
- Automatically filtering unrelated noise, thanks to Yealink's Smart Noise Proof technology, video conferencing can be more concentrated.



## Compact Design, 1 Minute Deployment

- With all-in-one design by integrating codec, camera, microphone and bracket, VC200 can easily fits TV ranging from 6mm to 50mm thick.
- VC200 supports PoE supply, connect network and HDMI cables and you are ready for a video conference.
- Based on Android OS and TV-styled interactive user interface, VC200 provides all functions with one-touch operation. What you see is what you get, no training cost.



Android OS

## Wireless Application, Clutter-free Meeting Room

- Easily connect the VC200 through Bluetooth or Wi-Fi, you can utilize wireless application including one-click wireless content sharing. No installation nor messy cables, VC200 greatly saves your effort of deployment.
- With optional wireless microphones, VC200 can extend the range of sound pickup.



## VC200 Video Conferencing Endpoint Specification

Module	Features	VC200
Camera Features	Pixel	8M Pixels
	Zoom	4X digital
	Frame rate	30 FPS
	Horizontal field of view	103°
Video Features	Video call quality	up to 1080P 60FPS
	Bandwidth requirement	1080P from 512kbps in H.265
	Video packet loss recovery	30%
	Local HD recording	✓ (USB flash drive or local storage)
Microphone	Microphone model	6 built-in beamforming microphone arrays
	Voice pickup distance	16ft / 5 meters
	Wireless microphone	Optional
	Noise proof technology	✓
Collaboration Touch Panel	Collaboration touch Panel	Optional
Collaboration Features	Electronic whiteboard	✓*
	Annotation on content sharing	✓*
	Multi-screen interaction	✓
	Reverse control	✓**
Network & Security	Wi-Fi	2.4GHz/5GHz dual mode
	Bluetooth	Bluetooth 4.2
	TCP/IP	IPv4&IPv6
	Communication protocols	H.323/SIP
	Traversal features	ICE/TURN/STUN/NAT/H.460
	Encryption	SRTP/TLS/H.235/AES 128-bit
Physical Connections	Video output	1×HDMI
	Line-out	1×3.5mm
	USB	2×USB 2.0
	Network interface	1×10/100M Ethernet
	PoE	✓
Video Codec	H.265, H.264 High Profile, H.264, H.263	
Voice Codec	ARES, Opus, G.722.1C, G.722.1, G.722, G.711 (PCMU/PCMA)	
Video Resolution	1080P, 720P, 448P, 360P, 4CIF, CIF	
* Collaboration features needs to be used with touch TV		
** Reverse control needs to be used with WPP20		

